



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
GB/T 16483-2008, GB/T 17519-2013

**Product Name** Methanol  
**Issuing Date** 15-Jun-2021  
**(M)SDS Number** UL-METHANOL-CN

**Revision date** 21-May-2025  
**Revision Number** 3.1

## 1. Identification

### Product identifier

**Product Name** Methanol  
**Chemical name** Methanol  
**English chemical name** Methanol

### Other means of identification

**UN number or ID number** UN1230  
**CAS No.** 67-56-1  
**Synonyms** Methyl alcohol, wood alcohol, methyl hydroxide  
**Pure substance/mixture** Substance  
**Molecular weight** 32.04

### Details of the supplier of the safety data sheet

#### Supplier

Methanex Services (Shanghai) Co., Ltd.  
Room 403, Build#2, No.458 Fute Rd.(N),  
Waigaoqiao Free Trade Zone, Shanghai, China  
Postal code: 200131  
Fax: +86-21-60231001  
Tel.: +86-21-60231026

Methanex Asia Pacific Ltd  
Unit 3802, The Lee Gardens,  
33 Hysan Avenue, Causeway Bay, Hong Kong  
Fax: +8852-2918-1331  
Tel.: +852-2918-1398

**E-mail address** wliu@methanex.com

### Emergency telephone number

**Emergency telephone number** +86 0532 8388 9090

### Recommended use of the chemical and restrictions on use

**Recommended use** Industrial use  
Professional use  
Consumer use  
Solvent  
Fuels  
Raw material

Cleaning agent  
Laboratory reagent  
Consumer use of cleaning agents and de-icers

Restrictions on use None

## 2. Hazard(s) identification

### Emergency Overview

Toxic if swallowed  
Toxic in contact with skin  
Toxic by inhalation  
Causes damage to organs  
HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames

**Appearance** Clear liquid **Physical state** Liquid **Odor** Alcohol odor

### Classification of the substance or mixture

Flammable liquids	Category 2
Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Specific target organ toxicity - Single exposure	Category 1

### Label elements



**Signal word** Danger

### Hazard statements

Highly flammable liquid and vapor  
Toxic if swallowed  
Toxic in contact with skin  
Toxic if inhaled  
Causes damage to organs

### Precautionary statements

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Wear protective gloves, protective clothing, eye protection and face protection  
Use only outdoors or in a well-ventilated area  
Do not breathe dust  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Keep container tightly closed  
Use explosion-proof electrical/ ventilating/ lighting/ equipment  
Ground and bond container and receiving equipment  
Use only non-sparking tools  
Take action to prevent static discharges  
Keep cool

### Response

Specific treatment (see supplemental first aid instructions on this label)

IF exposed or concerned: Call a POISON CENTER or doctor

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

#### Physical and chemical hazards

Highly flammable liquid and vapor. Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air.

Vapors can travel considerable distances to a source of ignition where they can ignite, flash back, or explode. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated.

#### Health hazards

Immediate Health Effects: Can cause poisoning if inhaled, swallowed or absorbed by the skin. Symptoms of poisoning may appear even after several hours. Medical examination necessary even merely on suspicion of intoxication.

Chronic effects: Target organ(s). Causes damage to the following organs: Central nervous system, visual organs, systemic toxicity.

#### Environmental hazards

Not applicable.

#### Other hazards which do not result in classification

Poison. Risk of blindness after swallowing the product.

### 3. Composition/information on ingredients

#### Substance

CAS No. 67-56-1

Synonyms Methyl alcohol, wood alcohol, methyl hydroxide

Chemical name	CAS No.	Weight-%
Methanol	67-56-1	100

### 4. First-aid measures

#### Description of necessary first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.

**Most important symptoms/effects, acute and delayed**

<b>Symptoms</b>	Ingestion causes nausea, weakness and central nervous system effects, headache, vomiting, dizziness, symptoms of drunkenness. Coma and death due to respiratory failure may follow severe exposures: Medical treatment necessary. A latent period of several hours may occur between exposure and the onset of symptoms. May cause blindness.
<b>Effects of Exposure</b>	Causes damage to organs: Eyes.
<b><u>For emergency responders</u></b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist.
<b><u>Note to physicians</u></b>	Poison. May be fatal if swallowed. The severity of outcome following methanol ingestion may be more related to the time between ingestion and treatment, rather than the amount ingested; therefore, there is a need for rapid treatment of any ingestion exposure. Call a Poison Center. Antidote: Fomepizole enhances elimination of metabolic formic acid. Antidote should be administered by qualified medical personnel.

**5. Fire-fighting measures****Extinguishing media**

<b>Suitable Extinguishing Media</b>	Use water spray to cool fire-exposed containers. Water will not cool methanol below its flash point. Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Unsuitable extinguishing media</b>	Do not use straight streams. Do not use a solid water stream as it may scatter and spread fire.
<b>Specific hazards arising from the chemical</b>	Highly flammable liquid and vapor. Vapors are heavier than air and may spread along floors. Mixtures >20% methanol with water: flammable. Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<b>Hazardous combustion products</b>	Toxic gases or vapors, Carbon monoxide, Carbon dioxide (CO <sub>2</sub> ), Formaldehyde.
<b>Special protective actions for fire-fighters</b>	Methanol: Burns with invisible flame. Flame may not be visible in daylight. Cool containers with flooding quantities of water until well after fire is out. Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter protection, and actions to control or extinguish the fire. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe vapor or mist.
<b>Other information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.
<b>Environmental precautions</b>	Avoid release to the environment. Dispose of contents/containers in accordance with local regulations. Biodegradable at low concentrations. Soluble in water. When released, this product is expected to evaporate. Contact authorities in the event of pollution of soil and aquatic environment or discharge into drains. Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
<b>Methods and material for containment and cleaning up</b>	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
<b>Precautions to prevent secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

<b><u>Precautions for safe handling</u></b>	Handle in accordance with good industrial hygiene and safety practice. Do not enter confined area unless adequately ventilated. Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.
<b><u>General hygiene considerations</u></b>	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapor or mist.
<b><u>Conditions for safe storage, including any incompatibilities</u></b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up.
<b>Incompatible materials</b>	Lead, Aluminum, Zinc, Oxidizing agent, Strong acids, Strong bases, Polyethylene, Polyvinyl chloride (PVC), Nitriles.

## 8. Exposure controls/personal protection

**Occupational exposure limits**

Chemical name	China	ACGIH TLV
Methanol	TWA: 25 mg/m <sup>3</sup> ; STEL: 50 mg/m <sup>3</sup> ; Sk	TWA: 200 ppm STEL: 250 ppm pSk

**Biological occupational exposure limits**

Chemical name	Biological standards	Monitoring and observation processes	ACGIH
Methanol	-	-	15 mg/L - urine (Methanol) - end of shift

**Monitoring and observation processes**

No applicable information was found.

**Engineering controls**

Provide local exhaust ventilation. Handle product only in closed system or provide appropriate exhaust ventilation. All equipment used when handling the product must be grounded.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Tight sealing safety goggles.

**Skin and body protection**

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

**Hand protection**

Wear suitable gloves. Impervious gloves.

**Respiratory protection**

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode. Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**9. Physical and chemical properties****Information on basic physical and chemical properties**

Appearance	Clear liquid
Physical state	Liquid
Color	Clear
Odor	Alcohol odor
Odor threshold	4.2 -5960 ppm

Property	Values	Remarks • Method
pH		No data available
pH (as aqueous solution)		No data available
Melting point / freezing point	-97.78 °C	No data available
Initial boiling point and boiling range	64.72 °C	No data available
Flash point	11 °C	No data available
Evaporation rate	4.1	Butyl acetate = 1
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits	36.5%	No data available
Lower flammability or explosive	5.5%	No data available

<b>limits</b>		
Vapor pressure	12.8 kPa	@ 20 °C
Relative vapor density	1.1	@ 20 °C (air = 1)
Relative density	0.791 - 0.793	@20°C
Water solubility	Miscible in water	No data available
Solubility(ies)		No data available
Partition coefficient	-0.77	log Pow
Autoignition temperature	464 °C	No data available
Decomposition temperature		No data available
SADT (°C)		No data available
Kinematic viscosity		No data available
Dynamic viscosity	0.8 cP	@ 20 °C

**Additional information**

Molecular weight	32.04
VOC content	100%
Softening point	No information available

**Information with regard to physical hazard classes****Explosives**

Explosive properties Vapors may form explosive mixtures with air

Oxidizing properties None known

Sensitivity to mechanical impact None

**10. Stability and reactivity**

**Stability** Stable under normal conditions. May form flammable/explosive vapor-air mixture. Hygroscopic.

**Possibility of hazardous reactions** None under normal processing.

**Reactivity** Containers may rupture or explode if exposed to heat.

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

**Hazardous polymerization** Hazardous polymerization does not occur.

**Conditions to avoid** Protect from direct sunlight. Containers may rupture or explode if exposed to heat. Heat, flames and sparks. Excessive heat.

**Incompatible materials** Lead, Aluminum, Zinc, Oxidizing agent, Strong acids, Strong bases, Polyethylene, Polyvinyl chloride (PVC), Nitriles.

**Hazardous decomposition products** Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Formaldehyde.

**11. Toxicological information****Information on likely routes of exposure****Product Information**

**Inhalation** Toxic by inhalation.

**Skin contact** Toxic in contact with skin.

**Eye contact** May cause irritation.

**Ingestion** Poison. Toxic if swallowed. MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** Ingestion causes nausea, weakness and central nervous system effects, headache, vomiting, dizziness, symptoms of drunkenness. Coma and death due to respiratory failure may follow severe exposures: Medical treatment necessary. A latent period of several hours may occur between exposure and the onset of symptoms. Coughing and/ or wheezing. Difficulty in breathing.

**Acute toxicity** Toxic if swallowed. Toxic in contact with skin. Toxic by inhalation.

**Numerical measures of toxicity** Acute Toxicity Estimate (ATE) values provided as a reflection of the hazard classification. The acute toxicity of methanol varies greatly species to species and has been well documented. Methanol's toxicity is driven by its metabolism and the creation of toxic metabolites. Metabolism within animal species utilized for acute toxicity testing is not an accurate representation of human metabolism. Therefore, positive human evidence outweighs rat and rabbit toxicity values. Animal toxicity values are reported below, but are not appropriate for human health hazard classification.

The following ATE values have been calculated for the mixture:

ATEmix (oral)	100 mg/kg
ATEmix (dermal)	300 mg/kg
ATEmix (inhalation-vapor)	3 mg/l

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 6200 mg/kg ( Rat )	= 15840 mg/kg ( Rabbit )	= 22500 ppm ( Rat ) 8 h = 64000 ppm ( Rat ) 4 h

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** EU CLP: Category 2 (Applies to CLP according to Article 5 of Notification 2018-24). Based on available data, the classification criteria are not met.

**Reproductive toxicity** No information available.

**Specific target organ toxicity (single exposure)** Causes damage to organs.

**Specific target organ toxicity (repeated exposure)** No information available.

**Target organ effects** Eyes: Optic nerve. Central nervous system.

**Aspiration hazard** No information available.

## 12. Ecological information

### Ecotoxicity



Chemical name	Algae/aquatic plants	Fish	Crustacea
Methanol	-	LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)	-

**Persistence and degradability** Readily biodegradable.

**Bioaccumulation** There is no data for this product.

**Bioaccumulative potential** BCF <10.

#### Component Information

Chemical name	Partition coefficient
Methanol	-0.77

**Mobility in soil** Adsorbs on soil.

**Other adverse effects** No information available

### 13. Disposal considerations

**Waste chemicals** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Recover or recycle if possible. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

### 14. Transport information

#### JT/T 617

UN proper shipping name METHANOL  
Environmental hazards No  
Description UN1230, METHANOL, 3 (6.1), II

#### IMDG

UN number or ID number UN1230  
UN proper shipping name METHANOL  
Transport hazard class(es) 3  
Subsidiary hazard class 6.1  
Packing group II  
Marine pollutant indicator NP  
Special Provisions 279 F-E S-D  
Description UN1230, METHANOL, 3 (6.1), II, (11°C C.C.)  
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code IBC Code: Category Y

#### IATA

UN number or ID number	UN1230
UN proper shipping name	Methanol
Transport hazard class(es)	3
Subsidiary hazard class	6.1
Packing group	II
Environmental hazards	No
Special Provisions	A113
ERG Code	3L
Description	UN1230, Methanol, 3 (6.1), II

**Special precautions for user**

Please refer to the applicable dangerous goods regulations for additional information

**15. Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Law of the People's Republic of China on Prevention and Control of Occupational Diseases**

Catalog of occupational hazard factors:

Listed. Chemical hazards.

Catalog of occupational diseases:

Listed. Occupational poisoning.

Chemical name	Category
Methanol	Chemical hazards

**Regulations on the Control over Safety of Hazardous Chemicals**

Catalog of Hazardous Chemicals

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed. Verify that license requirements are met.

Flammable liquid - Category 2 Weight-% 100

Chemical name	Serial number	Hazardous chemicals
Methanol	1022	Listed

GB 18218-2018 Identification of major hazard installations for dangerous chemicals

Category

Flammable liquids

Threshold quantity (T)

1000

Chemical name	Threshold quantity (T)	Additional information
Methanol	500	-

**List of hazardous chemicals under priority management**

Chemical name	List of priority hazardous chemicals under work safety management
Methanol	Listed

**Regulations on Labor Protection in Workplaces Where Toxic Substances Are Used**

Inventory of highly toxic goods

Not applicable

**Regulations for Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

List of toxic chemicals severely restricted for import and export in China

Not applicable

**Measures for the Environmental Management of New Chemical Substances**

IECSC - China Inventory of Existing Chemical Substances Listed.

**International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

**The Rotterdam Convention** Not applicable

**International Inventories**

Contact supplier for inventory compliance status

<b>TSCA</b>	Listed.
<b>DSL/NDSL</b>	Listed on DSL.
<b>EINECS/ELINCS</b>	Listed.
<b>ENCS</b>	Listed.
<b>IECSC</b>	Listed.
<b>KECI</b>	Listed.
<b>PICCS</b>	Listed.
<b>AICS</b>	Listed.

## 16. Other information

<b>Prepared By</b>	Product Safety Department
<b>Issuing Date</b>	15-Jun-2021
<b>Revision date</b>	21-May-2025
<b>Revision Note</b>	SDS sections updated: 1. Supplier's details.

**Abbreviations and acronyms**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Legend**

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory

LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C_G1	Group 1 - Carcinogenic to humans
C_G2A	Group 2A - Probably carcinogenic to humans
C_G2B	Group 2B - Possibly carcinogenic to humans
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

#### Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
U.S. Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AELG(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal

Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
United Nations World Health Organization (WHO)

**Disclaimer**

**The information above is believed to be accurate and represents the best information currently available to us. Users should make their own investigations to determine the suitability of the information for their particular purposes. This document is intended as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Methanex Corporation and its subsidiaries make no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Methanex Corp. will not be responsible for damages resulting from use of or reliance upon this information**